



Presents for your consideration:

Intestinal Repair Complex™ (powder and capsules)

- ◆ Promotes healthy prostaglandin balance
- ◆ Promotes healthy intestinal function
- ◆ Assists in maintaining healthy intestinal permeability
- ◆ While both products are useful for the entire intestinal tract, IRC powder is more specific for the small intestine and IRC capsules for the large intestine.
- ◆ Use both together for your more difficult gastrointestinal patients

Intestinal Repair Complex™ (powder and capsules) is designed to assist in the repair and restoration of a normal, healthy GI mucosal lining. Soothing, anti-inflammatory extracts of mucilaginous herbs, amino acids and enzymes make up the Intestinal Repair formula. These formulas are not designed to mask symptoms, but rather to provide essential factors for the nutritional support of healthy GI structure and function.

L-Glutamine is the most abundant amino acid in the body. L-Glutamine is often used for organ repair and gastrointestinal tract nutritional support. Glutamine enhances the mass and strength of the intestine's protective mucosal lining, reducing altered permeability issues that can lead to increased allergy and toxemia susceptibility.

N-Acetyl Glucosamine (NAG) is a carbohydrate used to make glycosaminoglycans needed for normal intestinal mucous production.

Deglycyrrhizinated Licorice (DGL) like NAG enhances normal mucous production to establish a healthy protective barrier. It

Intestinal Repair Complex™ (powder)	Amounts per serving
Serving size	1 tsp. (6 g.)
Number of servings per container	40
L-Glutamine	1500 mg.
N-Acetyl Glucosamine	1000 mg.
Deglycyrrhizinated Licorice (10:1 extract)	500 mg.
Plant Enzymes:	
Amylase	11500 DU
Cellulase	4600 CU
Invertase	2300 AIU
Lactase	5000 ALU
Maltase	3000 DP
Aloe leaf Conc. (Aloe barbadensis) (200:1 Concentrate)	200 mg.
MSM (Methyl Sulfonyl Methane)	200 mg.
Slippery Elm (Ulmus fulva)	100 mg.
Marshmallow (Althea officinalis)	100 mg.
Suggested Dose: Take 1/2-1 tsp., two to three times daily or as directed by your health care practitioner.	

Intestinal Repair Complex™ (capsules)	Amounts per serving
Serving size	4 capsules
Number of servings per container	30
Vitamin A Palmitate	2000 IU
Vitamin E Succinate	100 IU
Folic Acid	400 mcg
Zinc (Glycinate 25%)	10 mg
Sodium Butyrate	100 mg
L-Glutamine	1000 mg
N-Acetyl Glucosamine	500 mg
Okra	400 mg
Cat's Claw	300 mg
Mucin (Sialic Acid, N-Neuraminic Acid)	300 mg
Quercetin	150 mg
Gamma Oryzanol	50 mg
Suggested Dose: Take 1-2 caps with meals two to three times daily or as directed by your health care practitioner.	

has historically been used in treatments for indigestion, heartburn, and peptic ulcers. Licorice is a demulcent, which soothes and coats the digestive and urinary tracts. It contains flavonoids and chalcones, two important ingredients that help the digestive tract to heal and are also potent antioxidants.

Plant Enzymes assist in the digestive process as it occurs in the brush border of the small intestine. These enzymes convert carbohydrates (fruit, vegetable, grain and bean fibers, sugars, milk sugar, grain sugar) into their final digestive end products thereby helping to reduce issues of flatulence, bloating and bowel toxemia.

Aloe Leaf Concentrate has been in use for centuries both topically and orally. It has remarkable anti-inflammatory, anti-bacterial, and bowel-moving properties. Aloe has the ability to absorb deep into affected injured tissue and promote repair and structural integrity.

Methyl Sulfonyl Methane (MSM) is an organic sulfur compound present naturally in the human body. MSM is concentrated in connective tissues. In Intestinal Repair Complex™, MSM is included to promote structural repair and integrity.

Slippery Elm, Okra, Cat's Claw and Marshmallow are mucilaginous herbs with a long history of use in gastrointestinal complaints. They act to coat and soothe inflamed injured tissues. Like DGL and L-Glutamine they enhance normal mucosal secretions, which are absolutely necessary for healthy structure and function.

Vitamins A, E, Folic Acid and the mineral Zinc participate in beneficial antioxidant functions to reduce oxidative stress in the cellular lining of the gut. In this manner they assist in the overall repair process. Some of the gut barrier functions, such as Secretory IgA secretion may be enhanced by beneficial nutrients such as Vitamins A, E and Folic acid.

Butyric Acid is a short chain fatty acid produced by the anaerobic bacteria in the colon through fermentation of fiber and starch. Colonic epithelial cells use butyric acid as their major fuel source. As such, butyric acid enhances the regeneration of colonic epithelial cells and assists in repair of damaged epithelial cells. Butyric acid levels are often measured in stool analysis as a screen for risk of colon cancer. Patients with low levels are at higher risk.

Mucin (Sialic Acid, N-Neuraminic Acid) is a glycoprotein. Mucins are secreted by the epithelial cells lining the mucosal lining throughout the intestine. Their protective function is due to their high viscosity. They act to coat, protect, entrap antigens and, along with Secretory IgA, bind and move

potential antigenic inflammatory triggers out of the system.

Quercetin is a flavonoid antioxidant. It acts to quench oxidative stress, stabilize colonic mast cells and improve tissue integrity.

Gamma Oryzanol has been shown in studies to have positive anti-inflammatory properties. This property allows it to assist other compounds in restoration of normal colonic epithelial health.

References:

1. Hickson R, et al. Glutamine prevents downregulation of myosin heavy chain synthesis and muscle atrophy from glucocorticoids. *Am J Physiol* 1995 Apr;268(4 Pt 1):E730-E734.
2. Klimberg, V. Suzanne, M.D., et al. Prophylactic Glutamine protects the intestinal mucosa from radiation injury. *Cancer* 1990, July 1;66(1):62-68.
3. Foitzik T, Stuffer M, Hotz HJ, Klinnert J, Wagner J, Warshaw AL, Schulzke JD, Fromm M, Buhr HJ. Glutamine stabilizes intestinal permeability and reduces pancreatic infection in acute experimental pancreatitis. *J Gastrointest Surg.* 1997;1(1):40-47.
4. Noyer CM, Simon D, Borczuk A, Brandt LJ, Lee MJ, Nehra V. A double-blind placebo-controlled pilot study of glutamine therapy for abnormal intestinal permeability in patients with AIDS. *Am J Gastroenterol* 1998;93(6):972-5.
5. Herschler RJ. Dietary and pharmaceutical uses of methylsulfonylmethane and compositions comprising it. *United States Patent* 4,514,421:April 30, 1985.
6. Hutter JA et al., Anti-inflammatory C-glucosyl chromone from *Aloe barbadensis*. In: *JNP* 59(5):541-543, 1996.
7. *PDR for Herbal Medicines 1st Ed.*, Medical Economics Co., Montvale, New Jersey, 1998.
8. Werbach MR, Murray, MT. *Botanical Influences on Illness: A sourcebook of clinical research.* Third Line Press, Tarzana, California, 1994.
9. Lipski E. *Digestive wellness.* New Canaan, CT: Keats, 1996: 200-03.
10. *PDR for Nutritional Supplements 1st Ed.*, Medical Economics Co., Montvale, New Jersey, 2001.

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

***For Quality and Value without
Compromise***



Is the logical choice!

